

SCC-C4207/C4307

1/4" 32X Zoom,
Day & Night, WDR Camera




- 1/4" Ex-View CCD 410K/470K
- DIS (Digital Image Stabilizer)
- 32X Zoom Lens (digital zoom: 10X)
- Minimum scene illumination : 0.002(color)/0.0002(B/W) Lux
- Day & Night
- 128X WDR (Wide Dynamic Range)
- Motion Detection (with adjustable zones and sensitivity levels)
- Privacy Protection that Allows up to 8 Privacy Zones
- Remote Control through RS485 (using SSC-1000 and SSC-2000)
- Sharp image quality, thanks to an excellent signal-to-noise ratio (50dB)

Specifications


Model	SCC-C4207(P)	SCC-C4307(P)	
Imaging Device	1/4" Ex-View CCD, 410K/470K pixels		
Effective Pixels	NTSC : 768(H)x494(V) / PAL : 752(H)x582(V)		
Scanning Method	2 : 1 Interlace		
Scanning Line Frequency	Horizontal	NTSC : 15.750Hz / PAL : 15.625Hz	
	Vertical	NTSC : 60Hz / PAL : 50Hz	
Synchronization Method	Internal	Internal/Line lock	
Horizontal Resolution	480 TV Lines		
Signal Output	VBS 1.0Vp-p(75 Ohm, Composite)		
S/N Ratio	50dB(AGC Off)		
Minimum Scene Illumination	Color	0.002(Sens up 160X,15IRE)Lux	
	B/W	0.0002(Sens up 160X,15IRE)Lux	
Lens	Zoom Ratio	320X (32X Optical, 10X Digital)	
	Focal Length	3.55 ~ 113mm	
	Aperture Ratio	Tele	F4.17
		Wide	F1.69
Viewing Angle	Tele	1°78'(H)x1°34'(V)	
	Wide	56°41'(H)x43°01'(V)	
Functions	Wide Dynamic Range	Off/On (128X)	
	Day & Night	Color/BW/Auto/EXT	
	Motion Detection	Off/On (Area/Sensitivity Setting)	
	Electronic Shutter	Off, 1/100~10,000 sec	
	Sens Up	Off/Auto (2X ~ 160X)	
	BLC	Off/On (Area Setting)	
	AGC	Off/Low/High	
	Camera ID	Max. 20 Characters	
	White Balance	ATW/ATW2/AWC/Manual	
	IR Filter	Off/On	
Privacy Zones	Up to 8 zones can be set (Mosaic)		
Input/Output	Image Output	BNC	
	Remote Control	RS485	
	Alarm Output	1	
	Power	Terminal Block(2-pin)	
Operating Temperature	-10°C~ +50°C		
Operating Humidity	Maximum 90% RH		
Power Requirement	DC12V	AC24V	
Power Consumption	5.5W	6W	
Weight	390g	515g	
Dimensions	60.5(W) x 59.5(H) x 126.7(D)mm	60.5(W) x 59.5(H) x 160.9(D)mm	

Dimensions (unit:mm)

SCC-C4207



SCC-C4307



* Design and specifications are subject to change without notice.